New Delhi, the 1 st March, 2008
11 Phalguna, 1929 (Saka)

NOTIFICATION
No.25/2008-Customs

G.S.R. (E).- In exercise of the powers conferred by sub-section (1) of section 25 of the Customs Act, 1962 (52 of 1962), the Central Government, on being satisfied that it is necessary in the public interest so to do, hereby makes the following further amendments in the notification of the Government of India in the Ministry of Finance (Department of Revenue), No. 25/1999-Customs, dated the 28th February, 1999, and published in the Gazette of India, Extraordinary vide number G.S.R. 161(E), of the same date, namely:-

In the said notification,-

- (A) in the preamble, for the words, "and falling under the Chapters of the First Schedule", the words "and falling under the Chapters or heading or sub-heading or tariff items of the First Schedule" shall be substituted;
- (B) in the Table,- in column (2), for the word "Chapter", the words "Chapter or Heading or Sub-heading or tariff item", shall be substituted;
- (i) in LIST A, after S. No. 224 and the entries relating thereto, the following S. No and the entries shall be inserted, namely:-

S.No	Chapter or Heading or	Description of imported goods	Description of finished goods
	Sub-		goods
	heading or		
	tariff item		
(1)	(2)	(3)	(4)
"225.	2834 9019	(i) Palladium Tetra Amine Sulphate	. ,
	3824 9090	(ii) Palladium make up solution	
	3824 9090	(iii) Palladium Addotove	Connectors
	3824 9090	(iv) Palladium replenisher	
	9010 9000	(v) Palladium Anode Polariser	
	3908 9090	(vi) Liquid crystal polymer (LCP)	
226.	3921 1900	(i) SRPB strips/sheets & substrate	
	7419 9990	(ii) Braided copper wire	
	74	(iii) Copper nickel Alloy with layer	of
		palladium Copper with or without	an Relays
		intermediate layer of cooper in strip	os/
		coil form.	
227.	2513 2090	(i) Pumice powder	
	3209 9090	(ii) No bake emulsion	Cathode ray tubes
	3402 9099	(iii) Cleaner for No Bake Lacquer	
	5911 9090	(iv) Acetate tape	
228.	7226 9990	(i) Alloy 223	Parts of CRT
	7220 9090	(ii) SS 631	

229.	8544 19	(i)	Enamelled Aluminium wire	Loudspeaker, Degaussing coils
230.	27, 29, 32, 38, 39, 40, 68, 69, 70,	(i) (ii) (iii)	Solderon Tin concentrate Solderon Acid HC Solderon ST-300	
	73, 81, 82,	(iv)	Solderon strip	
	85, 90	(v)	Satin 108	Semiconductors
		(vi)	Marking ink	
			Melamine mould cleaning compound	
			Tungsten boats and baskets	
		(ix)	Quartz wool tweezers Teflon wafer carriers	
		(x) (xi)		
		` ′	Diamond tips Dressing plates	
			Capillary	
			Rubber tip	
		, ,	Push up needles	
			Thermocouples	
) Cartridge heaters	
231.	2710 1960	(i)	Hydroisomerized base oil	Cable Filling/
	3902 9000	(ii)	Polyalphaolefin	Flooding
	3902 3000	(iii)	Thermoplastic elastomer	compounds
	3824 9011	(iv)	Organoclay gellant	(Thixotropic jelly)
				for optical fibre
				cables
232.	33, 39,69,	(i)	Perfluoro Polyether Oil (Fomblin	Electronic
232.	33, 39,69, 76	, ,	oil)	Electronic Capacitor grade
232.		(i) (ii) (iii)	· · · · · · · · · · · · · · · · · · ·	Electronic Capacitor grade metallised Plastic
	76 7011 90	(ii)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate	Electronic Capacitor grade metallised Plastic
232. 233.	76 7011 90 7011 90	(ii) (iii) (i) (ii)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point)	Electronic Capacitor grade metallised Plastic
	76 7011 90 7011 90 7011 20	(ii) (iii) (i) (ii) (iii)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube	Electronic Capacitor grade metallised Plastic
	7011 90 7011 90 7011 20 7011 20	(ii) (iii) (i) (ii) (iii) (iv)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring	Electronic Capacitor grade metallised Plastic
	76 7011 90 7011 90 7011 20 7011 20 7011 20	(ii) (iii) (ii) (iii) (iv) (v)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP	Electronic Capacitor grade metallised Plastic
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90	(ii) (iii) (ii) (iii) (iii) (iv) (v) (vi)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90	(ii) (iii) (ii) (iii) (iii) (iv) (v) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90	(ii) (iii) (ii) (iii) (iii) (iv) (v) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90	(ii) (iii) (ii) (iii) (iii) (iv) (v) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder Barrier rib paste/powder	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90 3824 90	(ii) (iii) (ii) (iii) (iv) (v) (vi) (vii) (viii) (ix) (x)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder Barrier rib paste/powder Vehicle for frit paste	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90	(ii) (iii) (ii) (iii) (iii) (iv) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder Barrier rib paste/powder Vehicle for frit paste Phosphor paste/powder	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90	(ii) (iii) (ii) (iii) (iii) (iv) (v) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder Barrier rib paste/powder Vehicle for frit paste Phosphor paste/powder Dry film resist for barrier rib	Electronic Capacitor grade metallised Plastic film for Capacitors
	76 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3829 99	(ii) (iii) (ii) (iii) (iv) (vi) (vii) (viii) (ix) (x) (xi) (xiii) (xiii)	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder White dielectric paste/powder Vehicle for frit paste Phosphor paste/powder Dry film resist for barrier rib Dry film resist for ITO	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3829 99 3920 99 3920 99	(ii) (iii) (ii) (iii) (iii) (iv) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder White dielectric paste/powder Vehicle for frit paste Phosphor paste/powder Dry film resist for barrier rib Dry film resist for ITO Laminated TD	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3829 99 3920 99 3920 99 3920 99	(ii) (iii) (iii) (ii) (iii) (iv) (v) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder White dielectric paste/powder Vehicle for frit paste Phosphor paste/powder Dry film resist for barrier rib Dry film resist for ITO Laminated TD Lapping tape	Electronic Capacitor grade metallised Plastic film for Capacitors
	7011 90 7011 90 7011 20 7011 20 7011 20 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3824 90 3829 99 3920 99 3920 99	(ii) (iii) (ii) (iii) (iii) (iv) (vi) (vi	oil) Ceramic evaporation boats Graphic foil ITO coated top glass plate Bottom glass plate (High strain point) Exhaust tube Preform ring Glass/film filter for PDP Bus electrode paste Transparent dielectric paste/powder White dielectric paste/powder White dielectric paste/powder Vehicle for frit paste Phosphor paste/powder Dry film resist for barrier rib Dry film resist for ITO Laminated TD	Electronic Capacitor grade metallised Plastic film for Capacitors Plasma display panel/module

	6804 22	(xix)	SS powder for sandblasting	
	8443 90	(xx)	Screen printing mask	
	8443 90	(xxi)	Photo mask	
	7020 00	(xxii)	Neoceram setter plate	
	8529 90	(xxiii)	TCP (Tape carrier package)	
	6815 10	(xxiv)	Graphite sheet	
			-	
234.	3824 90	(i)	Sebacic acid	Aluminium
	3824 90	(ii)	Ammonium para nitro benzoate	electrolytic
	3824 90	(iii)	Adipic aid	capacitors"
	3824 90	(iv)	Glutaric acid	
	3824 90	(v)	Ammonium benzoate	
	3505 20	(vi)	PVA powder	
	3824 90	(vii)	Triethanolamine	
	3824 90	(viii)	Ortho nitro anisol	
	3824 90	(ix)	Para nitro phenol	
	3824 90	(x)	Methoxy phenol	

[F.No. 334 /1/2008-TRU]

(S. Bajaj) Under Secretary to the Government of India

Note: The principal notification No.25/99-Customs, dated the 28th February, 1999 was published in the Gazette of India, Extraordinary, vide number G.S.R. 161(E), dated the 28th February, 1999 and was last amended vide notification No.22/2005-Customs, dated the 1st March, 2005 which was published vide number G.S.R.120(E), dated the 1st March, 2005.